




Understanding Women's Motivational Factors in Weight Management: An Exploratory Study Dr. Sharon Stager, DNP, FNP-BC


Purpose of Study

- ❖ Evaluate anthropometrics to define weight status and health risk (Romero-Corral et al., 2008)
- ❖ Inquire the impact of personal & familial health status on motivation to change lifestyle and lose weight increased.
- ❖ Qualitative exploration for motivators to weight management
- ❖ Determine the role of the practitioner in weight management (Gray et al, 20011)

HCP Role as Partner



Body Measurement Effects on Motivation



Qualitative Analysis

- ❖ Are you currently trying to maintain or lose weight?
 - ❖ 20/29 endorse active stage in weight loss journey
 - ❖ Motivators: exercise, past obesity issues, health and prevention of chronic diseases, and appearance
- ❖ What might motivate you to lose weight and maintain a healthy weight?
 - ❖ Anthropometric findings as an intrinsic motivator
 - ❖ Being healthy as an external motivator
 - ❖ Motivation may come from the provider, "if I was asked to do so by my doctor"
- ❖ What additional information may help motivate you to lose weight and/or maintain a healthy weight?
 - ❖ Supplements
 - ❖ Meal and exercise plans
 - ❖ Continued measurements

Readiness of Change



Prochaska & Di Clemente, 1984

Health Care Provider Role

- ❖ Identify weight as an issue
- ❖ Determine readiness (Wee, Davis & Phillips, 2005)
- ❖ Identify personal motivators
- ❖ Incorporate other anthropometrics
- ❖ Document baseline & follow-up measurements
- ❖ Customize educational materials
- ❖ Recognize self as a Change Agent

Implications for the DNP

- ❖ Evaluate best methods to measure obesity
- ❖ Implement Motivational Interviewing
- ❖ Change the trajectory of obesity in the US and globally

Gray, C., Hunt, K., Lorimer, K., Anderson, A., Benzeval, M., & Wyke, S. (2011). Words matter: a qualitative investigation of which weight status terms are acceptable and motivate weight loss when used by health professionals. *MBC Public Health*, 11 (513), p. 1-9.

Neovius, M., Uddén, J., & Hemmingsson, E. (2007). Assessment of change in body fat percentage with DXA and eight-electrode BIA in centrally obese women. *Medicine & Science In Sports & Exercise*, 39 (12), 2199-2203.

Prochaska, J. & Di Clemente, C. (1984). *The Transtheoretical Approach Crossing Traditional Boundaries of Therapy*. Illinois: Dorsey Professional Books.

Romero-Corral, A., Somers, V., Sierra-Johnson, J., Thomas, R., Bailey, K., Collazo-Clavell, M., Allison, T., Korinek, J., Batsis, J., & Lopez-Jimenez, F. (2008). Accuracy of Body Mass Index to Diagnose Obesity In the US Adult Population. *International Journal of Obesity*, 32(6), 959-966.

Wee, C., Davis, R., & Phillips, R. (2005). Stage of readiness to control weight and adopt weight control behaviors in primary care. *Journal of General Internal Medicine*, 20, 410-415.